



**CITY OF AUSTIN  
STANDARD PRODUCTS LIST  
for  
PVC WASTEWATER LINE FITTINGS**

**USING DEPARTMENT:** Austin Water      **PREPARED BY:** Bill Flynn, P.E.      **ISSUED:** 06/06/83  
**REVISED BY:** Jeff A. Kyle, P.E.      **REVISED:** 01/01/23

**DESCRIPTION:** Fittings, polyvinyl chloride (PVC) gravity sewer, meeting ASTM D3034 with minimum stiffness of 115 psi for fittings 15" and smaller in diameter or meeting ASTM F679 with minimum stiffness of 75 psi for fittings larger than 15" diameter and with elastomeric gasket joints meeting ASTM F1336 and gaskets meeting ASTM F477. Two-way cleanouts shall be molded, one-piece. (4" and 10" fittings for maintenance only.) See SPL WW- 227B-1 for PVC fittings to use with AW Standard 520-AW-01A.

LISTING DATE	MANUFACTURER	PRODUCT IDENTIFICATION/COMMENT	APPROVAL
07/01/96	TIGRE-ADS USA, INC. (formerly Vassallo) 2315 Beloit Avenue Janesville, WI 53546	ASTM D3034 or F679 fittings Includes D3034 6" two-way cleanout (Part No. 37-2001)	K. Flowers
01/04/99	THE HARRINGTON CORP. P.O. Box 10335 Lynchburgh, VA 24506	Marked "HARCO" (fittings are gray) ASTM D3034 fittings (two-way cleanouts not included)	K. Flowers
07/01/98	WESTLAKE PIPE & FITTINGS (Formerly NAPCO / North American Pipe Co.) 2801 Post Oak Boulevard, Suite 410 Houston, TX 77056	ASTM D3034 fittings Includes 6" two-way cleanout (Part No. H1006) and 4" two-way cleanout (Part No. H1004)	K. Flowers
10/01/98	GPK PRODUCTS, INC. 1601 43 <sup>RD</sup> Ave. Fargo, ND 58102	ASTM D3034 or F679 fittings Includes 4" two-way cleanout (Part No. 993-0444) and 6" two-way cleanout (Part No. 993-0666)	K Flowers
01/04/99	MULTI-FITTINGS CORPORTATION 4507 LeSaint Court Fairfield, OH 45014	ASTM D3034 fittings with Multi-Loc gaskets Includes 6" two-way cleanout (Part No. 067166)	K. Flowers
01/02/98	SPECIFIED FITTINGS, INC. P.O. Box 28157 Bellingham, WA 98226	ASTM D3034 or F679 fittings 12" and larger body size only (two-way cleanouts not included)	K. Flowers

**NOTES:**

- Acceptable fitting sizes are 6" minimum (service laterals only), 8", 12", 15", 18", 21", and 24"
- All joint gaskets shall be secured in place.

**LATEST REVISIONS (since 10/01/18):**

- Updated ROYAL BUILDING PRODUCTS (aka PLASTIC TRENDS) to WESTLAKE PIPE & FITTINGS (Formerly NAPCO / North American Pipe Co.)